

Model: M1200 (2-Pack)

AC1200 Whole Home Mesh Wi-Fi System



Enhanced Whole Home Coverage

C Seamless Roaming

Up to 1.2Gbps Wi-Fi Speed

VPN Server and VPN Client Support

cudy cudy

Datasheet








AC1200 Whole Home Mesh Covers Up to 3,000 sq.ft

With stronger and more efficient signals enhanced by Cudy Whole Home Mesh technology, M1200 boosts broader whole home Wi-Fi coverage with great performance. Wireless connections and optional Ethernet backhaul work together to link mesh units, providing even faster network speeds and truly seamless coverage. Want more coverage? Simply add another one.







Software





With built-in VPN, this router can easily establish a connection to VPN Server to transport all your online data and traffic, securing it with its encryption at the same time.



DDNS

By assigning a custom domain name to your home router's IP address, DDNS function will update automatically as your home IP continues to change. Compatible with 15 more DDNS providers.



Guest Network separate guest access from your family network. Maintain high security across your network to help ensure your privacy is safe while online.

Guest Network



Specifications

- Up to 1.2Gbps Wi-Fi Speed: Enjoy smooth streaming, downloading, and gaming with extremely fast Wi-Fi Speed.
- Extensive Coverage: High gain antennas combine to deliver focused reception to devices far away.
- Pre-installed VPN: With built-in VPN, this router can easily establish a connection to VPN Server to transport all your online data and traffic, securing it with its encryption at the same time.
- Dynamic DNS: DDNS function solves the issue of changing residential IP addresses. By assigning a custom domain name to your home router's IP address, DDNS function will update automatically as your home IP continues to change. Compatible with 15 more DDNS providers.

Hardware Features

Flash	128N
DDR	1Gbi
Antenna	2 × Ir
Interface	1 × 1
	1 × 1
Button	Pair I
External Power Supply	12 V

Wireless Features

Wireless Standards	IEEE
	IEEE
Frequency	5 GH
Signal Rate	867N
	Com
Transmit Power	CE: «
	FCC
Wireless Modes	Enab
Wireless Security	WEP

Mbit (16MB) oit (128MB) Internal Omni-Directional Antennas 10/100Mbps WAN Port 10/100Mbps LAN Ports Button, Reset Button /1A

E 802.11ac/n/a 5 GHz

E 802.11n/b/g 2.4 GHz

Hz, 2.4 GHz

Mbps (5 GHz), 300Mbps (2.4 GHz)

patible with 802.11a/b/g/n/ac Wi-Fi standards

<20dBm(2.4 GHz), <23dBm(5.15 GHz~5.25 GHz)

C: <30dBm(2.4 GHz & 5.15 GHz~5.825 GHz)

ble/Disable Wireless Radio, WMM

P, WPA/WPA2, WPA-PSK/WPA2-PSK



Software Features

Others

WAN Type	Dynamic IP/Static IP/PPPoE	Package	2-Pack AC1200 M
DHCP	Server, DHCP Client List, Address Reservation	Contents	Power Adapter
Dynamic DNS	Compatible with 15 more DDNS providers.		RJ45 Ethernet Ca
Guest Network	2.4 GHz guest network × 1		Quick Installation
	5 GHz guest network × 1	System	Microsoft Windows
NAT	Port Forwarding, Port Triggering, UPnP, DMZ	Requirements	MAC OS, NetWar
VPN Sever & Client	PPTP/L2TP/OpenVPN/WireGuard/IPSec/Zerotier		Internet Explorer 1
Working Mode	Wi-Fi Router/ Wireless Access Point/Wi-Fi Extender/ WISP		Java-enabled brow
CWMP Protocol	TR069 / TR098 / TR111 / TR181		Cable or DSL Mod
ACS Server Compatibility	GenieACS, OpenACS		Subscription with a
Management	Access Control, Local Management,		
	Remote Management, Wake on LAN		
TTL	Extend/Spoof/Custom		
DNS	Cloudflare/Google/NextDNS/Custom		
Internet Protocols	IPv4 / IPv6		
IPv6	Relay		
	Dynamic(SLAAC/DHCPv6)		
	Static (Fixed IP)		
	Passthrough		
	MAP-E (Dual-stack)		
	DS-Lite (Dual-stack)		

	Mes	h R	outer
--	-----	-----	-------

Cable

n Guide

ws 98SE/NT/2000/XP/Vista™/7/8/8.1/10/11,

are, UNIX or Linux

r 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other

owser

odem

h an internet service provider (for internet access)